




DISK INDICATING MICROMETERS

















- Meet DIN863-3
- Suitable for measuring the common normal length of spur and helical gears
- Carbide measuring faces
- Measuring force 5-10N
- Optional accessory: gage blocks grade 0 (4101-A series), for zero setting

(mm)

								(,
Code	Micrometer head			Dial indicator				
	Range	Graduation	Accuracy	Range	Graduation	Accuracy	Α	В
3338-201*	0-20mm	0.01mm	4µm	±0.07mm	1µm	2µm	26	15
3338-20*	0-20mm	0.01mm	4µm	±0.14mm	2µm	4µm	26	15
3338-451*	20-45mm	0.01mm	4µm	±0.07mm	1µm	2µm	51.5	25
3338-45 *	20-45mm	0.01mm	4µm	±0.14mm	2µm	4µm	51.5	25
3338-701*	45-70mm	0.01mm	4µm	±0.07mm	1µm	2µm	76.5	37
3338-70 *	45-70mm	0.01mm	4µm	±0.14mm	2µm	4µm	76.5	37
3338-951*	70-95mm	0.01mm	4µm	±0.07mm	1µm	2µm	101.5	52.5
3338-95 *	70-95mm	0.01mm	4µm	±0.14mm	2µm	4µm	101.5	52.5
3338-120 *	95-120mm	0.01mm	4µm	±0.14mm	2µm	2µm	126.5	65
3338-145*	120-145mm	0.01mm	4µm	±0.14mm	2µm	4µm	126.5	77.5

^{*}Supplied with manufacturer inspection certificate